

Items Available for Immediate Shipment

Photos Actual Size

GM Clips, Grommets and U-Nut



25183

(GM: 11519069)
Zinc with Blue Topcoat

Radiator Grill & Quarter Trim Panel Clip

Head Size: 16.5mm x 26.5mm

Overall Height: 15.5mm

Fits into 8mm x 25.4mm Slot

Chevrolet Avalanche 2006 - 2003, Express Van & GMC Savana Van 2003 - On, Malibu 2007 - 2004, Silverado, Suburban 2007 - 2001

UNIT PACKAGE: 15



25193

(GM: 15035237)
White Nylon

Cowl Vent Grommet with Sealer

Head Size: 17mm x 31mm

Stem Length: 16mm

Overall Height: 17mm

Fits into 7mm x 21mm Slot

Chevrolet Express & GMC Savana Vans 1996 - On; P30 1999 - 1996

UNIT PACKAGE: 10



25181

(GM: 11601845)
White Nylon



Rocker Moulding Clip with Sealer

Top Head Size: 33mm x 45.5mm

Middle Head Size: 29mm x 45.5mm

Bottom Head Size: 21mm x 42mm

Stem Size: 8mm x 13mm

Stem Length: 12mm

Overall Height: 25.7mm

Fits into 9mm Slot

Buick Enclave 2018 - On; Cadillac CT4, CT5 2020 - On; Chevrolet Traverse 2021 - On

UNIT PACKAGE: 10



25077

(GM: 11517841; Ford: N806728-S439)

Bumper, Fender Apron & Valence Panel U-Nut with Locking Thread

Screw Size: M6-1.0

Width: 14.5mm

Length: 20mm

Panel Range: 1.8mm - 2.5mm

Center of Hole To Edge: 9mm Max

Buick Terraza 2007 - 2005; Cadillac ATS, CT6, CTS 2018 - 2003; Escalade 2018 - 2015; SRX 2016 - 2010

Chevrolet Avalanche 2006 - 2005; Bolt 2018 - 2017; Camaro 2018 - 2012; Colorado 2018 - 2015; Corvette 2019 - 2015; Silverado 2005 - On; SS 2014 - 2007; Suburban, Tahoe 2015 - On; Traverse 2018; Uplander 2009 - 2005

GMC Canyon 2018 - 2015; Sierra, Yukon 2005 - On; Hummer H2 2009 - 2005; Pontiac Montana 2009 - 2005;

Saturn L100, L200, L300 2005 - 2001; LS, LW 2000; LW200, LW 300 2003 - 2001; Relay 2007 - 2005; SC1, SC2

2002 - 1996; Sky 2010 - 2007; SL, SL1, SL2 2002 - 1996; SW1, SW2 2001 - 1996; Vue 2007 - 2002; Ford F150 - F250

2004 - 1999

UNIT PACKAGE: 15



Items Available for Immediate Shipment

Photos Actual Size

Blind Rivets. Chrysler U-Nut and Push Nut.

25108
(GM:19353809)
Silver Finish




Inner Wheelhouse Blind Rivet
Diameter: 1/4" (6.3mm)
Grip: 0.132"-0.211" (3.35mm - 5.35mm)
Flange Diameter: 1/2" (13mm)
Steel Rivet & Mandrel

Buick Encore 2020 - On; Cadillac CT6 2016 - On;
Chevrolet Equinox 2018 - On

UNIT PACKAGE: 10


25109
Silver Finish



Blind Rivet
Diameter: 1/4" (6.3mm)
Grip: 0.295"-0.374" (7.5mm - 9.5mm)
Flange Diameter: 1/2" (13mm)
Steel Rivet & Mandrel
General Purpose

UNIT PACKAGE: 10

25110
Silver Finish



Blind Rivet
Diameter: 1/4" (6.3mm)
Grip: 0.348"-0.425" (8.8mm - 10.8mm)
Flange Diameter: 1/2" (13mm)
Steel Rivet & Mandrel
General Purpose


UNIT PACKAGE: 10

25111
Silver Finish



Blind Rivet
Diameter: 1/4" (6.3mm)
Grip: 0.425"-0.504" (10.8mm - 12.8mm)
Flange Diameter: 1/2" (13mm)
Steel Rivet & Mandrel
General Purpose

UNIT PACKAGE: 10



25188
(Chrysler: 68073566AA)
Organic Zinc

Front Lamp & Rear Bumper U-Nut
Screw Size: M6-1.0
Width: 14.5mm
Length: 19mm

Panel Range: 1.8mm - 2.2mm
Center of Hole to Edge: 9.2mm
Ram ProMaster 1500, 2500, 3500 2014 - On
Ford Escape 2012 - 2005; Mercury Mariner 2011 - 2005

UNIT PACKAGE: 15



25184
(Chrysler: 68073375AA)
Black Nylon

Under Body & Interior Trim Panel
Push Nut
Flange O.D.: 30mm
Overall Height: 7.5mm
Fits onto 5mm Stud
Jeep Compass 2018 - On, Renegade
2017 - On; Ram ProMaster 1500, 2500,
3500, City 2015 - On

UNIT PACKAGE: 25

Items Available for Immediate Shipment

Ford Bed Bolts and U-Nut

Problem solving Bed Bolt and U-Nuts for Ford F250SD, F350SD, F450SD, F550SD 2016 - 1999

THE PROBLEM

Original bolts & u-nuts are difficult to remove due to rust and the type of threading used at the factory.

Ford uses self-threading tri-lobular bolts called TAPTITE2000.

The bolts are driven down with a special tool into a u-nut attached to the frame that is not threaded.

These bolts require the use of a T-50P torx plus socket (do NOT use a T-47 or a standard T-50).


Once the bolts and clips rust/oxide they are nearly impossible to remove and often need to be cut off.

THE SOLUTION

Auveco's replacement bolt and u-nut.

Standard threaded bolt and mating u-nut do not require the need of special tools.

Bolts follow the head and shaft contours of the O.E. bolt which allow them to duplicate the original fit & function.



Photos NOT Actual Size

Truck Bed Mounting Button Head Sems® Body Bolts with Silver Finish

Use with Auveco U-Nut 25041

Auveco Part No.	Size	Washer Outer Diameter	Shoulder Length Under Sems	Drive Size	Unit Pkg.
25042	M14-2.0 x 138MM	40MM	23MM	8MM Allen	2
25043	M14-2.0 x 138MM	40MM	19.5MM	8MM Allen	2
25044	M14-2.0 x 108MM	40MM	23MM	8MM Allen	2

Truck Bed Mounting U-Nut

Auveco Part No.	Screw Size	Panel Range	Center of Hole to Edge	Finish	Unit Pkg.
25041	M14-2.0	4MM	45MM	Silver	5

Items Available for Immediate Shipment

Photos Actual Size

GM Express/GMC Savana Van Application Updates



19614

(GM: 15733970)
Black Nylon

Front Air Deflector Grommet
Head Diameter: 28mm
Stem Length: 13mm
Use with Auveco 19613
C & K Trucks 1999 - On;

Express & Savana Vans 2003 - On

UNIT PACKAGE: 25



19613

(GM: 15733971)
Black Nylon

Front Air Deflector Retainer
Top Head Diameter: 18mm
Bottom Head Diameter: 26mm
Flange Diameter: 30mm
Stem Length: 24mm
Use with Auveco 19614
C & K Trucks 1999 - On

GM Express & Savana Vans 2003 - On

UNIT PACKAGE: 15



17664

(GM: 10121502; Chrysler: 6033082,
6033840; Ford: 390018-S)
Black Nylon

Shield Retainer
Battery Post Cable Shield,
Engine Splash Shield
Radiator Side Air Baffle
Bottom Head Diameter: 11/16"
Stem Length: 1-1/16"
Stem Diameter: 5/16"

**GM 1989 - On, Express & Savana Vans
1996 - On & Various other GM Models**

UNIT PACKAGE: 50



10831

(GM: 332364, 14093311, **20732399**;
Ford: 389358, W701259-S300;
Chrysler: 3691590, 6031321, 6505411-AA;
AMC: 4004569)
Black Nylon

Fender & Bumper Shield Retainer
Head Diameter: 11/16"
Stem Diameter: 5/16"
Stem Length: 5/8"

GM, Ford, Chrysler & AMC
**Express & Savana Vans 2010 - On
& Various other GM Models**

UNIT PACKAGE: 50




12575

GM: 11503715, 11508241, **11609385**)
Phosphate

Extruded U-Nut
Screw Size: M6-1.0
Panel Range: 0.80mm-4.0mm
(0.030"-0.160")
Center of Hole to Edge: 19.5mm (25/32")
**GM Express & Savana Vans 2001 - On
& Various other GM Models**

UNIT PACKAGE: 25



23888

(Ford: N807455-S100; **GM: 11562026**)
Phosphate Metal

Lower Grille & Cowl Clip
Ford Explorer, **Mountaineer 2001 - 1996,**
Crown Vic, Grand Marquis 1997 - 1993;
**GM Chevrolet Express Van & GMC
Savana Van 1996 - On**

UNIT PACKAGE: 15



20860

(GM: 15078238)
Black

Radiator Grille & Bumper Cover Fastener
Width: 5/8"
Length: 1"
Overall Height: 5/8"
GM Trucks & Vans 1999 - On

UNIT PACKAGE: 15